# Honeywell | Safety Products

USA



## Product Family Miller Rope Grabs and Vertical Lifelines

Rope Grabs move easily up and down vertical lifelines providing continuous fall protection. Trailing models offer complete hands-free operation. In the event of a fall, Miller rope grabs lock quickly.

Visit MillerFallProtection.com >



## **Product Numbers & Ordering Information**

	Product Numbers	Details
₩440 ₩440	194R-2/100FTWH	Rope Lifeline 100-ft. length, 1 thimble and 1 carabiner, 5/8-in. nylon
₩48₽ ¥£#8	194R-2/150FTWH	Rope Lifeline 150-ft. length, 1 thimble and 1 carabiner, 5/8-in. nylon
₩48₽ ¥£#8	194R-2/25FTWH	Rope Lifeline 25-ft. length, 1 thimble and 1 carabiner, 5/8-in. nylon
₩48₽ ¥£#8	194R-2/300FTWH	Rope Lifeline 300-ft. length, 1 thimble and 1 carabiner, 5/8-in. nylon
	194R-2/30FTWH	<b>Rope Lifeline</b> 30-ft. length, 1 thimble and 1 carabiner, 5/8-in. nylon
(~*68€ ₽€₩₿	194R-2/35FTWH	Rope Lifeline 35-ft. length, 1 thimble and 1 carabiner, 5/8-in. nylon
	194R-2/50FTWH	<b>Rope Lifeline</b> 50-ft. length, 1 thimble and 1 carabiner, 5/8-in. nylon

Q

~+8≠ ≠€%(	194R-2/75FTWH	<b>Rope Lifeline</b> 75-ft. length, 1 thimble and 1 carabiner, 5/8-in. nylon
	194R-5/100FTWH	Rope Lifeline 100-ft. length, 1 thimble and 1 carabiner, 5/8-in. polyester
	194R-5/150FTWH	Rope Lifeline 150-ft. length, 1 thimble and 1 carabiner, 5/8-in. polyester
	194R-5/200FTWH	Rope Lifeline 200-ft. length, 1 thimble and 1 carabiner, 5/8-in. polyester
	194R-5/25FTWH	Rope Lifeline 25-ft. length, 1 thimble and 1 carabiner, 5/8-in. polyester
	194R-5/50FTWH	Rope Lifeline 50-ft. length, 1 thimble and 1 carabiner, 5/8-in. polyester
	194R-5/75FTWH	Rope Lifeline 75-ft. length, 1 thimble and 1 carabiner, 5/8-in. polyester
	195R-2/100FTWH	Rope Lifeline 100-ft. length, 2 thimbles, 5/8-in. nylon
(=+8≠ ≠€280)	195R-2/150FTWH	Rope Lifeline 150-ft. length, 2 thimbles, 5/8-in. nylon
	195R-2/25FTWH	Rope Lifeline 25-ft. length, 2 thimbles, 5/8-in. nylon
₩6#8 ₩6#8	195R-2/30FTWH	Rope Lifeline 30-ft. length, 2 thimbles, 5/8-in. nylon
₩6.20 8 € 22 (	195R-2/50FTWH	Rope Lifeline 50-ft. length, 2 thimbles, 5/8-in. nylon
₩8.₩ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	195R-2/75FTWH	Rope Lifeline 75-ft. length, 2 thimbles, 5/8-in. nylon

\$=+0# #€±8₿	195R-5/100FTWH	Rope Lifeline 100-ft. length, 2 thimbles, 5/8-in. polyester
(=+8≠ ≠€±8()	195R-5/200FTWH	Rope Lifeline 200-ft. length, 2 thimbles, 5/8-in. polyester
₩6.20 ₩6.22	195R-5/25FTWH	Rope Lifeline 25-ft. length, 2 thimbles, 5/8-in. polyester
₩6.20 #6.20	195R-5/300FTWH	Rope Lifeline 300-ft. length, 2 thimbles, 5/8-in. polyester
(===0.0.0 ● € == {	195R-5/50FTWH	Rope Lifeline 50-ft. length, 2 thimbles, 5/8-in. polyester
₩6.11.0 #6.11.0	195R-5/75FTWH	Rope Lifeline 75-ft. length, 2 thimbles, 5/8-in. polyester
(===0.0.0 ● € == ()	198RLS- 2/100FTWH	Rope Lifeline 100-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon
(~*A# #€##{	198RLS- 2/150FTWH	Rope Lifeline 150-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon
(~*A# #€##{	198RLS-2/15FTWH	Rope Lifeline 15-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon
	198RLS-2/19FTWH	Rope Lifeline 19-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon
	198RLS- 2/200FTWH	Rope Lifeline 200-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon
	198RLS-2/20FTWH	Rope Lifeline 20-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon
	198RLS- 2/250FTWH	<b>Rope Lifeline</b> 250-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon

~+8≠ ≠€%()	198RLS-2/25FTWH	<b>Rope Lifeline</b> 25-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon
	198RLS- 2/300FTWH	Rope Lifeline 300-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon
(=+8≠ ≠€28)	198RLS-2/30FTWH	<b>Rope Lifeline</b> 30-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon
(=+8≠ ≠€28)	198RLS-2/50FTWH	<b>Rope Lifeline</b> 50-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon
(~+8≠ ≠€щ₿	198RLS-2/75FTWH	<b>Rope Lifeline</b> 75-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon
(~+8≠ ≠€щ₿	198RLS- 3/100FTWH	<b>Rope Lifeline</b> 100-ft. length, 1 locking snap hook and 1 loop, 3/4-in. nylon
(~+8≠ ≠€щ₿	198RLS- 3/500FTWH	Rope Lifeline 500-ft. length, 1 locking snap hook and 1 loop, 3/4-in. nylon
₩6## 	198RLS- 4/100FTWH	Rope Lifeline 100-ft. length, 1 locking snap hook and 1 loop, 1/2-in. polyester
₩6## 	198RLS-4/25FTWH	Rope Lifeline 25-ft. length, 1 locking snap hook and 1 loop, 1/2-in. polyester
₩6.00 #6.00	198RLS-4/50FTWH	<b>Rope Lifeline</b> 50-ft. length, 1 locking snap hook and 1 loop, 1/2-in. polyester
₩6.## }	198RLS- 5/100FTWH	Rope Lifeline 100-ft. length, 1 locking snap hook and 1 loop, 5/8-in. polyester
€48+ €228	198RLS-5/25FTWH	<b>Rope Lifeline</b> 25-ft. length, 1 locking snap hook and 1 loop, 5/8-in. polyester
₩8±2 1000	198RLS-5/30FTWH	<b>Rope Lifeline</b> 30-ft. length, 1 locking snap hook and 1 loop, 5/8-in. polyester

 	198RLS-5/50FTWH	<b>Rope Lifeline</b> 50-ft. length, 1 locking snap hook and 1 loop, 5/8-in. polyester
(=+∩≠ ≠€₩₿	198RLS-5/75FTWH	<b>Rope Lifeline</b> 75-ft. length, 1 locking snap hook and 1 loop, 5/8-in. polyester
(=+0≠ ≠€±0	198RLS-8/25FTWH	<b>Rope Lifeline</b> 25-ft. length, 1 locking snap hook and 1 loop, 1/2-in. nylon
(=+A≠ ≠€±8()	198RLS-8/50FTWH	<b>Rope Lifeline</b> 50-ft. length, 1 locking snap hook and 1 loop, 1/2-in. nylon
(=+00≠ ≠€#8()	201RLS- 2/100FTWH	Rope Lifeline 100-ft. length, 2 locking snap hooks, 5/8-in. nylon
₩6.0# #€ <u>₩</u> ₿	201RLS- 2/150FTWH	Rope Lifeline 150-ft. length, 2 locking snap hooks, 5/8-in. nylon
(==== A.# # € ±± ()	201RLS-2/15FTWH	Rope Lifeline 15-ft. length, 2 locking snap hooks, 5/8-in. nylon
(==== () ● € == ()	201RLS-2/20FTWH	Rope Lifeline 20-ft. length, 2 locking snap hooks, 5/8-in. nylon
(= + A # # € # {	201RLS-2/25FTWH	Rope Lifeline 25-ft. length, 2 locking snap hooks, 5/8-in. nylon
₩6.00 ₩6.00	201RLS-2/30FTWH	Rope Lifeline 30-ft. length, 2 locking snap hooks, 5/8-in. nylon
₩6.0# #6.128	201RLS-2/40FTWH	Rope Lifeline 40-ft. length, 2 locking snap hooks, 5/8-in. nylon
(= 4.9.0 € 18.8	201RLS-2/50FTWH	Rope Lifeline 50-ft. length, 2 locking snap hooks, 5/8-in. nylon
(= + A.# # € # {	201RLS-2/75FTWH	Rope Lifeline 75-ft. length, 2 locking snap hooks, 5/8-in. nylon

(=+60) ≠€#0	201RLS- 3/150FTWH	Rope Lifeline 150-ft. length, 2 locking snap hooks, 3/4-in. nylon
(=+00 #€#₿	201RLS-3/25FTWH	<b>Rope Lifeline</b> 25-ft. length, 2 locking snap hooks, 3/4-in. nylon
(=+A≠ ≠£#₿	201RLS-3/50FTWH	<b>Rope Lifeline</b> 50-ft. length, 2 locking snap hooks, 3/4-in. nylon
(⇔⊸∩⊅ ∦\$₩₿	201RLS- 4/100FTWH	Rope Lifeline 100-ft. length, 2 locking snap hooks, 1/2-in. polyester
(=+00 #€#₿	201RLS-4/50FTWH	<b>Rope Lifeline</b> 50-ft. length, 2 locking snap hooks, 1/2-in. polyester
(=+00 #€#0 ()#2*	201RLS- 5/100FTWH	Rope Lifeline 100-ft. length, 2 locking snap hooks, 5/8-in. polyester
(=+00 #€#0 ()#£₽	201RLS-5/25FTWH	Rope Lifeline 25-ft. length, 2 locking snap hooks, 5/8-in. polyester
(=++0,0 ₩€±±()	201RLS- 5/300FTWH	Rope Lifeline 300-ft. length, 2 locking snap hooks, 5/8-in. polyester
(=++0,0 ₩€±±()	201RLS-5/50FTWH	<b>Rope Lifeline</b> 50-ft. length, 2 locking snap hooks, 5/8-in. polyester
(=++0,0 ₩€±±()	201RLS- 8/100FTWH	Rope Lifeline 100-ft. length, 2 locking snap hooks, 1/2-in. nylon
(=++00 ₩€+±0	201RLS-8/16FTWH	<b>Rope Lifeline</b> 16-ft. length, 2 locking snap hooks, 1/2-in. nylon
(= ⊕ ∩ ● ● € ₩ ()	201RLS-8/20FTWH	<b>Rope Lifeline</b> 20-ft. length, 2 locking snap hooks, 1/2-in. nylon
₩5#0 ₩5#0	201RLS-8/25FTWH	<b>Rope Lifeline</b> 25-ft. length, 2 locking snap hooks, 1/2-in. nylon

•646 •648	201RLS-8/30FTWH	<b>Rope Lifeline</b> 30-ft. length, 2 locking snap hooks, 1/2-in. nylon
(≂⊕8⊅ /*€₩()	201RLS-8/50FTWH	<b>Rope Lifeline</b> 50-ft. length, 2 locking snap hooks, 1/2-in. nylon
(≈•6≠ ≠€₩₿	202RRS- 2/125FTWH	<b>Rope Lifeline</b> 125-ft. length, 1 locking snap hook and 1 locking rebar hook (2-1/2 in.), 5/8-in. nylon
(≈•6≠ ≠€₩₿	202RRS- 2/130FTWH	<b>Rope Lifeline</b> 130-ft. length, 1 locking snap hook and 1 locking rebar hook (2-1/2 in.), 5/8-in. nylon
(≈•8≠ ≠€₩₿	202RRS-2/15FTWH	<b>Rope Lifeline</b> 15-ft. length, 1 locking snap hook and 1 locking rebar hook (2-1/2 in.), 5/8-in. nylon
(≈•8≠ ≠€₩₿	202RRS- 2/165FTWH	<b>Rope Lifeline</b> 165-ft. length, 1 locking snap hook and 1 locking rebar hook (2-1/2 in.), 5/8-in. nylon
(च⊕8⊅ ♦६₩₿)	202RRS-2/25FTWH	<b>Rope Lifeline</b> 25-ft. length, 1 locking snap hook and 1 locking rebar hook (2-1/2 in.), 5/8-in. nylon
(≈⊕8.0 /* € % ()	202RRS-2/30FTWH	<b>Rope Lifeline</b> 30-ft. length, 1 locking snap hook and 1 locking rebar hook (2-1/2 in.), 5/8-in. nylon
(≈•6≠ ≠€₩₿	202RRS-2/50FTWH	<b>Rope Lifeline</b> 50-ft. length, 1 locking snap hook and 1 locking rebar hook (2-1/2 in.), 5/8-in. nylon
(する品の (から出))	203RLS-2/30FTWH	<b>Rope Lifeline</b> 30-ft. length, 1 locking snap hook and 1 locking rebar hook (1-3/4 in.), 5/8-in. nylon
(=+1) (===)	203RLS-2/50FTWH	<b>Rope Lifeline</b> 50-ft. length, 1 locking snap hook and 1 locking rebar hook (1-3/4 in.), 5/8-in. nylon
(=====) #===()	203RLS-2/75FTWH	<b>Rope Lifeline</b> 75-ft. length, 1 locking snap hook and 1 locking rebar hook (1-3/4 in.), 5/8-in. nylon
(†*8# #\$#}	204RLS- 2/100FTWH	Rope Lifeline 100-ft. length, 1 locking snap hook and 1 thimble, 5/8-in. nylon

(=000) *540)	204RLS- 2/150FTWH	Rope Lifeline 150-ft. length, 1 locking snap hook and 1 thimble, 5/8-in. nylon
(=+00 #€#₿	204RLS- 2/200FTWH	<b>Rope Lifeline</b> 200-ft. length, 1 locking snap hook and 1 thimble, 5/8-in. nylon
(=+00.0  }  }  }  }  }	204RLS-5/50FTWH	<b>Rope Lifeline</b> 50-ft. length, 1 locking snap hook and 1 thimble, 5/8-in. polyester
(=+00.0  }  }  }  }  }	205RLS-2/20FTWH	<b>Rope Lifeline</b> 20-ft. length, 1 locking snap hook at each end and a thimble in the center, 5/8-in. nylon
(=+++0,0 	209RRS- 2/100FTWH	Rope Lifeline 100-ft. length, 1 rebar hook and 1 thimble, 5/8-in. nylon
(=++00 #€+±0)	300C/100FTBL	Rope Lifeline 100-ft. length, 5/8-in. dia. polypropylene blend, 1 carabiner and 1 loop
(=+68⊅ ≠€₩₿	300C/25FTBL	<b>Rope Lifeline</b> 25-ft. length, 5/8-in. dia. polypropylene blend, 1 carabiner and 1 loop
(≂•6.0 /* € % ()	300C/300FTBL	<b>Rope Lifeline</b> 300-ft. length, 5/8-in. dia. polypropylene blend, 1 carabiner and 1 loop
(≈++6,0  #€##₿	300C/50FTBL	<b>Rope Lifeline</b> 50-ft. length, 5/8-in. dia. polypropylene blend, 1 carabiner and 1 loop
≈48≠ *\$#₿	300C/75FTBL	<b>Rope Lifeline</b> 75-ft. length, 5/8-in. dia. polypropylene blend, 1 carabiner and 1 loop
≈48¢ *€#0	300L/100FTBL	<b>Rope Lifeline</b> 100-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop
(ť6.0 /* € % ()	300L/10FTBL	<b>Rope Lifeline</b> 10-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop
(=+68.0 ≠€₩₿	300L/125FTBL	Rope Lifeline 1250-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop

	300L/150FTBL	Rope Lifeline 150-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop
(₩++A+)  + € ₩ ()	300L/200FTBL	Rope Lifeline 200-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop
●●A● ● € # ()	300L/250FTBL	Rope Lifeline 250-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop
●●A● ● € ∰ ()	300L/25FTBL	<b>Rope Lifeline</b> 25-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop
●●A.● ● € ₩ ()	300L/300FTBL	Rope Lifeline 300-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop
(=+0.0 *€#0)	300L/30FTBL	Rope Lifeline 30-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop
(=+00 ≠€₩0)	300L/35FTBL	Rope Lifeline 35-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop
(=+66€ ₩€₩₿	300L/50FTBL	<b>Rope Lifeline</b> 50-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop
(=+66€ ₩€₩₿	300L/600FTBL	Rope Lifeline 600-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop
(=+66) ≠€₩0	300L/75FTBL	<b>Rope Lifeline</b> 75-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop
(=+A# *&#()</td><td>300L-Z7/100FTBL</td><td>ANSI Z359-2007 Compliant Rope Lifeline 100-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop</td></tr><tr><td>(=+66 ≠€₩8</td><td>300L-Z7/125FTBL</td><td>ANSI Z359-2007 Compliant Rope Lifeline 125-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop</td></tr><tr><td></td><td>300L-Z7/150FTBL</td><td>ANSI Z359-2007 Compliant Rope Lifeline 150-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop</td></tr></tbody></table>		

(~~0.0 ▶ € # ()	300L-Z7/25FTBL	<b>ANSI Z359-2007 Compliant Rope Lifeline</b> 25-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop
(===0.0 ≠€±±()	300L-Z7/50FTBL	<b>ANSI Z359-2007 Compliant Rope Lifeline</b> 50-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop
(===0.0 ≠€±±()	8172/U	MicroLoc Trailing Wire Rope Grab Stainless steel; for use with 5/16-in. wire rope
(=+∩≠ +€±()	8172C/	MicroLoc Trailing Wire Rope Grab Stainless steel; w/carabiner; for use with 5/16-in. wire rope
(~+0≠ +€±()	8173/U	MicroLoc Trailing Rope Grab Stainless steel; for use with 5/8-in. synthetic rope
(~+0≠ +€±()	8174/C	Manual Rope Grab Stainless steel; w/O-ring; for use with 5/8-in. or 3/4-in. synthetic rope; anti-panic feature; Canada
(===0.0 ≠ € == ()	8174/U	Manual Rope Grab Stainless steel; w/O-ring
(===0.0 ≠€±±()	8174MLS/4FTYLC	Manual Rope Grab Stainless steel; attached 4-ft. Manyard lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope; anti-panic feature; Canada
(===0.0.0 ₩€=±1.0	8174MLS4/4FTYL	Manual Rope Grab Stainless steel; attached 4-ft. Manyard lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope
(=+++)A# #€±±₿	8174MLS6/6FT	Manual Rope Grab Stainless steel; attached 6-ft. Manyard lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope
(=+++)A# #€±±₿	8174NYS/-NYS	Manual Rope Grab Stainless steel; w/O-ring stamped with New York State (NYS); for use with 5/8-in. or 3/4-in. synthetic rope
₩6. ₩6. 8	8174RLS/2FTWH	Manual Rope Grab Stainless steel; attached 2-ft. rope lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope
(===0.0.0 ♥≤=±₿	8174RLS/2FTWHC	Manual Rope Grab Stainless steel; attached 2-ft. rope lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope; anti-panic feature; Canada

₩8#0 #8#0	8174RLS/3FTWH	Manual Rope Grab Stainless steel; attached 3-ft. rope lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope
(=+A≠ ≠€±₿(	8174RLS/3FTWHC	Manual Rope Grab Stainless steel; attached 3-ft. rope lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope; ; anti-panic feature; Canada
	8174WLS/2FTYL	Manual Rope Grab Stainless steel; attached 2-ft. web lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope
	8174WLS/2FTYLC	Manual Rope Grab Stainless steel; attached 2-ft. web lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope; anti-panic feature; Canada
(=+00≠ ≠€±1	8174WLS/3FTYL	Manual Rope Grab Stainless steel; attached 3-ft. web lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope
₩ 6. m. 8 # 6. m. 8	8175/C	<b>ANSI Z359-2007 Compliant Trailing Rope Grab</b> Stainless steel; w/O-ring; for use with 5/8-in. synthetic rope; anti-panic feature; Canada
₩ 6. m. 8 # 6. m. 8	8175/U	Trailing Rope Grab Stainless steel; w/O-ring; for use with 5/8-in. synthetic rope
(=•68≠ ≠€#₿	8175RLS/2FTWH	<b>Trailing Rope Grab</b> Stainless steel; attached 2-ft. rope lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope
₩6#8 #€#8	8175RLS/2FTWHC	<b>Trailing Rope Grab</b> Stainless steel; attached 2-ft. rope lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope; anti-panic feature; Canada
===0.0 # \$ #1.0	8175RLS/3FTWH	Trailing Rope Grab Stainless steel; attached 3-ft. rope lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope
	8175RLS/3FTWHC	<b>Trailing Rope Grab</b> Stainless steel; attached 3-ft. rope lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope; anti-panic feature; Canada
	8175SLS/18INYL	<b>Trailing Rope Grab</b> Stainless steel; attached 18-in. SofStop shock absorber w/1 locking snap hook; for use with 5/8-in. synthetic rope
≈+18≠ ≠€28₿	8175SLS/2FTYL	<b>Trailing Rope Grab</b> Stainless steel; attached 2-ft. SofStop lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope

(=+0₽ ₽€±!	8175SLS/2FTYLC	<b>Trailing Rope Grab</b> Stainless steel; attached 2-ft. SofStop lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope; anti-panic feature; Canada
₩6.20 ₩6.22	8175SLS/3FTYL	<b>Trailing Rope Grab</b> Stainless steel; attached 3-ft. SofStop lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope
₩6.20 ₩6.22	8175SLS/3FTYLC	<b>Trailing Rope Grab</b> Stainless steel; attached 3-ft. SofStop lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope; anti-panic feature; Canada
₩6.20 ₩6.22	8175SLS-Z7/3FTYL	ANSI Z359-2007 Compliant Trailing Rope Grab Stainless steel; anti-panic feature; attached 3-ft. SofStop lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope
₩6.00 #6.111	8175WLS/2FTYL	<b>Trailing Rope Grab</b> Stainless steel; attached 2-ft. web lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope
(===0.0.0 ● € == ()	8175WLS/2FTYLC	<b>Trailing Rope Grab</b> Stainless steel; attached 2-ft. web lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope; anti-panic feature; Canada
(~*A# #€##}	8175WLS/3FTYL	<b>Trailing Rope Grab</b> Stainless steel; attached 3-ft. web lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope
(~*88 ≠€#8	8175WLS/3FTYLC	<b>Trailing Rope Grab</b> Stainless steel; attached 3-ft. web lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope; anti-panic feature; Canada
(=+68≠ ≠€#8₿	8175-Z7/	<b>ANSI Z359-2007 Compliant Trailing Rope Grab</b> Stainless steel; w/O-ring; anti-panic feature; for use with 5/8-in. synthetic rope
-111 +121	8757LS/24INYLC	Manual Rope Grab Stainless steel; w/O-ring; for use with 5/8-in. synthetic rope; attached 24-inch SofStop; Anti-panic feature; Canada
	8757LS/YL	Manual Rope Grab Stainless steel; w/O-ring; for use with 5/8-in. synthetic rope; attached 24-inch SofStop
	9020/YL	Rope Lifeline Accessory Vertical lifeline tensioning bag
	98174LS/16INYLU	Manual Rope Grab Stainless steel; w/O-ring; for use with 5/8-inch or 3/4-inch synthetic rope; attached 16-inch SofStop with locking snap hook



98174LS/3FTYLU

#### Manual Rope Grab

Stainless steel; w/O-ring; for use with 5/8-inch or 3/4-inch synthetic rope; attached 3-foot SofStop with locking snap hook

## Overview

#### **Key Features**

- Compact design; corrosion-resistant stainless steel construction.
- · Lightweight and easy to use.
- Miller rope grabs are designed for use with 5/8-inch (16mm) synthetic rope lifeline with a minimum tensile strength of 5,000 lbs. (22kN), secured to an anchorage independent of the worker's platform.
- Standard lifeline lengths are 25 feet (7.6m), 50 feet (15m), 75 feet (23m), and 100 feet (30m); additional lengths are available.
- Wire rope grabs are designed for use with 5/16-inch (8mm) galvanized or stainless steel wire rope lifelines.

#### **Recommended Industries/Use**

```
Agriculture 
Construction 
Government 
Manufacturing 
Municipal Services 
Oil and Gas
```

Utilities

#### Hazards

Confined Space
Fall from height

#### Regulations

· Meets all applicable OSHA, ANSI and CSA standards

#### Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

## Literature & Documents

Miller Rope Grabs & Vertical Lifelines Manual - US http://www.honeywellsafety.com/Supplementary/Documents\_and\_Downloads/Fall\_Protection /Rope\_Grabs\_\_\_Vertical\_Lifelines/16592/1033.aspx

Miller Rope Grabs and Vertical Lifelines Product Instruction Manual

SP 396 300L Rope Lifeline Spec Sheet - US http://www.honeywellsafety.com/Supplementary/Documents\_and\_Downloads/Fall\_Protection /Rope\_Grabs\_\_\_Vertical\_Lifelines/16593/1033.aspx

SP396 300L Rope Lifeline Product Specification Sheet

SP387 8174 Rope Grab - US http://www.honeywellsafety.com/Supplementary/Documents\_and\_Downloads/Fall\_Protection /Rope\_Grabs\_\_\_Vertical\_Lifelines/42962/1033.aspx SP387 8174 Rope Grab Product Specification Sheet

SP388 MicroLoc Rope Grabs - US http://www.honeywellsafety.com/Supplementary/Documents\_and\_Downloads/Fall\_Protection /Rope\_Grabs\_\_\_Vertical\_Lifelines/42963/1033.aspx

SP388 MicroLoc Rope Grabs Product Specification Sheet

SP389 8175 Rope Grab USA - US

#### Page 13 of 14 © Honeywell International Inc.

http://www.honeywellsafety.com/Supplementary/Documents\_and\_Downloads/Fall\_Protection /Rope\_Grabs\_\_\_Vertical\_Lifelines/42964/1033.aspx

SP389 8175 US Rope Grab Product Specification Sheet

SP390 Rope Grab CANADA - US http://www.honeywellsafety.com/Supplementary/Documents\_and\_Downloads/Fall\_Protection /Rope\_Grabs\_\_\_Vertical\_Lifelines/42965/1033.aspx SP390 Canadian Rope Grab Product Specification Sheet

SP391 Rop Grab CANADA - US http://www.honeywellsafety.com/Supplementary/Documents\_and\_Downloads/Fall\_Protection /Rope\_Grabs\_\_\_Vertical\_Lifelines/42966/1033.aspx

SP391 Canadian Rope Grab Product Specification Sheet

SP417 195R Series - US http://www.honeywellsafety.com/Supplementary/Documents\_and\_Downloads/Fall\_Protection /Rope\_Grabs\_\_\_Vertical\_Lifelines/42967/1033.aspx

SP417 195 Series Product Specification Sheet

## **Training & Proper Use**

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

## Additional Information

800/873-5242 or 814/423-2118 email: millertechexpert@sperian.com

## **Technical Support**

Contact Miller Technical Service at 800/873-5242 or 814/423-2118 email: millertechexpert@sperian.com

© Honeywell International Inc.